verilux®
The Healthy Lighting Company™ Since 1956

Used regularly, CleanWave® eliminates up to 99.9% of viruses, bacteria, allergens*, dust mite and flea eggs on surfaces



CleanWave®

Eco-friendly, Highly Effective, Chemical-Free Sanitizing

USER INSTRUCTIONS
ITM./ART. 432884

VHCP02

SAVE THESE INSTRUCTIONS

**Allergens due to mold and dust mites*

VHCP02_MAN_Rev18.indd 1 11/13/09 2:52 PM

Job#: 0.0605	Title: VHCP02 Manual
Date: 11/13/09	Version: VHCP02-MAN-Rev18

verilux®
LIFE IN A BETTER LIGHT®

Dear Customer,

Thank you for purchasing the Verilux® CleanWave® Sanitizing Wand and Sanitizing Travel Wand Combo Pak. You have received innovative and quality manufactured products, backed by a one-year limited warranty.

My family's favorite way to use our Travel Wand, in addition to taking it with us while we travel, is for small items such as tweezers and nail clippers. We use our Sanitizing Wand on our toilet seats, chopping blocks, kitchen utensils and our son's stuffed animals.

Many other healthy lighting products are available through our catalog and online. Visit us on the web at www.Verilux.com to request a free catalog and learn more about all our quality Verilux products, or call our toll-free number 1-800-786-6850.

As a Verilux customer, your satisfaction means everything to us. We look forward to serving you now and in the future.

Have a bright day!



Nicholas Harmon
President

VHCP02_MAN_Rev18.indd 2 11/13/09 2:52 PM

Contents

Warnings and Precautions 4

Introduction 6

About Light and UV-C Light 6

Benefits of Using UV-C Light 7

Sanitizing Wand Features 8

Travel Wand Features 8

What's Included 9

Sanitizing Wand Initial Set-up 10

Installing the Battery 10

Charging the Wand 11

Sanitizing Wand Operation 11

Travel Wand Initial Set-up 13

Travel Wand Operation 13

Guidelines For Use 14

Sanitizing Wand Bulb Replacement 15

Sanitizing Wand Troubleshooting 16

Travel Wand Troubleshooting 17

Technical Specifications 18

Warranty 19

VHCP02_MAN_Rev18.indd 3 11/13/09 2:52 PM

Job#: 0.0805	Title: VHCP02 Manual
Date: 11/13/09	Version: VHCP02-MAN-Rev18

Warnings and Precautions

- To prevent fire or shock hazard, do not expose this product to rain or excessive moisture.
- Do not leave product unattended while on.
- No serviceable parts. Refer all servicing to qualified service personnel. Servicing is required when the apparatus is damaged in any way, for example the power-supply cord or plug is damaged, liquid has been spilled or objects have fallen into the apparatus, the apparatus has been exposed to rain or moisture, does not operate normally or has been dropped.
- CleanWave® Wands should not be exposed to dripping or splashing and no objects filled with liquids, such as vases, should be placed on or near the apparatus.
- This unit should not be handled or used by children due to the danger of accidental direct exposure to UV-C rays.
- Always direct the UV-C rays AWAY from the eyes and skin.
- Never use this device on pets.
- Care should be taken to prevent bulb breakage.
- Allow bulb to cool before replacing.
- Not intended for use on food.

WARNING: Direct exposure to these lamps can cause serious skin burn and eye inflammation from short wave ultraviolet radiation. Radiation from these lamps is harmful to the eyes and skin.

WARNING: Mercury Hazard. Be careful to not break the bulb during replacement. UV-C bulbs contain a small amount of mercury, which can cause injury if inhaled or ingested. For more information on clean up and disposal, see *www.energystar.gov/ia/partners/promotions/change_light/downloads/fact_sheet_mercury.pdf*

CAUTION: UV-C light may degrade plastic and rubber over time.

⚠ DANGER

Ultraviolet (UV-C) Radiation Hazard

Over exposure will cause significant eye damage and may cause skin damage.

Do not look into UV-C light source.

⚠ WARNING **POTENTIAL MOLD SPORE RELEASE**

Application of UV-C light to existing mold growth can cause respiratory irritation and allergic symptoms. Do not use UV-C light where active mold growth exists. Remove active mold growth from surfaces prior to exposure.

VHCP02_MAN_Rev18.indd 4 11/13/09 2:52 PM

Warnings and Precautions cont.

FCC INFORMATION

This device complies with Part 18 of the FCC Rules. This product may cause interference to radio communications and should not be installed near maritime safety communications equipment or other critical navigation or communication equipment operating between 0.45 - 30 MHz.

Warning: Changes or modifications to these units not expressly approved by the party responsible for compliance could void the user's authority to operate equipment.

The UV-C Sanitizing Travel Wand complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

SAVE THESE INSTRUCTIONS

VHCP02_MAN_Rev18.indd 5 11/13/09 2:52 PM

Job#: 0.0805	Title: VHCP02 Manual
Date: 11/13/09	Version: VHCP02-MAN-Rev18

Introduction

Your new Verilux® CleanWave® UV-C Sanitizing Wand eliminates up to 99.9% of viruses (including H1N1), bacteria (including MRSA), germs, mold, dust mite and flea eggs.

We hope you enjoy this product and use it frequently. **Your results will be cumulative – your "kill rate" may be 90% during your first use on a surface, then "90% of the remaining 10%" on your next use.**

About Light and UV-C Light

Visible light is electromagnetic radiation in wavelengths visible to the human eye. The wavelength of visible light, in nanometers, is about 400 nm to 750 nm. A nanometer is one billionth of a standard metric meter.

Ultraviolet or UV light is the part of the electromagnetic spectrum – from about 10 nm to 400 nm – that contains frequencies just higher than visible light. Above ultraviolet rays are X-rays. And above X-rays are gamma rays – the highest – and highest energy – waves yet found.

Ultraviolet light was discovered by German physicist Johann Ritter. In 1801, Ritter was experimenting with silver chloride, a chemical known to break down when exposed to sunlight. He found that light at the blue end of the spectrum increased the reaction.

Experimenting further, he discovered that the reaction was even more efficient when exposed to radiation beyond blue – radiation that was invisible. He called this new type of radiation ultraviolet, meaning "beyond the violet." (Ultra comes from the Latin for "beyond.")

UV light is invisible to humans, but birds and some species of insects, snakes, turtles and fish can see ultraviolet light.

UV light can be divided into various wavelength bands with differing characteristics.

The Sun emits ultraviolet radiation in UV-A, UV-B and UV-C bands, but because of absorption in the ozone layer, 99% of the ultraviolet radiation that reaches Earth is "long wave" UV-A.

UV-A, also known as "black light," creates fluorescent effects at your local disco and "midnight bowling" sessions as UV light (which cannot be seen) is absorbed by materials and re-emitted in the visible range.

UV-B "medium wave" rays both help and hurt. Too much UV-B exposure causes sunburn and can damage human tissue. Too little UV-B exposure leads to a lack of Vitamin D absorption in animals.

The higher-energy "short wave" UV-C band rays (100 to 280 nanometers) are highly lethal to microorganisms. This range is known as the Germicidal Spectrum.

VHCP02_MAN_Rev18.indd 6 11/13/09 2:52 PM

Introduction cont.

UV-C light sanitizes microorganisms and biological pollutants, including viruses, bacteria, germs, mold, dust mite and flea eggs by penetrating their cell membranes and attacking and deactivating their cellular DNA, stopping their reproductive capabilities and killing them.

The scientific community has long known that UV-C light acts as a natural sterilization system. Hospitals, food processing facilities, scientific laboratories, water treatment plants and air-handling systems use UV-C light to eliminate up to 99.9% of contaminants and germs.

The Verilux® CleanWave® Wand and Travel Wand provide that same UV-C ultraviolet technology for use in your home and on the road.

The "Ultraviolet" article at Wikipedia (http://en.wikipedia.org/wiki/Ultraviolet) offers a wealth of additional information and a comprehensive list of "See Also" links and References.

Benefits of Using UV-C Light

- No Chemicals. Your home may contain more deadly chemicals than laboratories did 50 years ago. With Verilux's CleanWave Technology, you can sanitize surfaces effectively and safely without chemicals and chemical residues. The CleanWave eliminates up to 99.9% of bacteria, viruses, germs, fungus, allergens* and mold with no chemical residue.
- Sanitizing with UV-C light means you don't need harsh chemicals that pollute our water and add unnecessary product packaging to our landfills. Reduced production of household cleansers means fewer chemicals in our environment and reduced fuel expenditures for transporting them to the marketplace.
- Odor elimination. Bedding and couches will smell and feel fresh with consistent use of the Sanitizing Wand. Because CleanWave eliminates biological material that causes odors, musty smells and pet odors are virtually eliminated.

**Allergens due to mold and dust mites*

VHCP02_MAN_Rev18.indd 7 11/13/09 2:52 PM

Job#: 0.0605	Title: VHCP02 Manual
Date: 11/13/09	Version: VHCP02-MAN-Rev18

Sanitizing Wand Features

Your new Verilux® CleanWave® Sanitizing Wand can eliminate germs, viruses, bacteria and mold on surfaces throughout your home. Use regularly on surfaces to help keep your home sanitized without the risk of chemical contamination.

- A powerful Ultraviolet (UV-C) illumination system that eliminates up to 99.9% of viruses, bacteria, germs, mold, dust mite and flea eggs on surfaces.
- Removes odors and dangerous allergens*.
- Perfect for use on bed clothes, in closets, as well as sofas and chairs.
- Portable, hand-held design is easy to operate.
- Built-in count up timer that displays the total time the Wand is used during each session.
- Status indicator that informs the user when the Wand is charging and when it is on.
- The 6-inch (15.2 cm) UV-C light bulb allows wide coverage and makes sanitizing large areas quick and easy.

**Allergens due to mold and dust mites*

Safety Feature

An internal safety switch that will automatically turn off the Wand if the light source is turned upward.

Travel Wand Features

Your new Travel Wand offers a compact Ultraviolet (UV-C) illumination system that eliminates up to 99.9% of viruses, bacteria, germs, mold, dust mite and flea eggs on surfaces at home and on the road.

- The 3-inch (7.6 cm) UV-C light bulb is the perfect size for small areas such as public toilet seats and keyboards.
- Portable, hand-held design is easy to operate.
- Fits neatly into purse or luggage.

Safety Feature

An internal safety switch that will automatically turn off the Wand if the light source is turned upward.

VHCP02_MAN_Rev18.indd 8 11/13/09 2:52 PM

What's Included

1. UV-C Sanitizing Wand

2. UV-C Sanitizing Wand Adapter

3. UV-C Sanitizing Wand Battery Pack

4. UV-C Sanitizing Travel Wand

1.



2.



3.



4.



VHCP02_MAN_Rev18.indd 9 11/13/09 2:52 PM

JOB#: 0.0805	Title: VHCP02 Manual
Date: 11/13/09	Version: VHCP02-MAN-Rev18

Sanitizing Wand Initial Set-up

The battery pack is shipped separately from the Sanitizing Wand. Before using the Sanitizing Wand, install the battery pack and fully charge the Wand.

Installing the Battery

Note: Be sure the charger is unplugged before installing a new battery pack.

1. Remove the gray handle faceplate on the underside of the Wand using a screwdriver.

2. Attach the battery cable to the battery pack.

3. Place the battery pack in the battery compartment.

4. Replace the faceplate. Tighten the screws.



Note: Used batteries should be disposed of properly and never incinerated.

Note: The UV-C Sanitizing Wand contains a rechargeable 4.8V Nickel Metal Hydride (NiMH) battery pack made only by Verilux. Do not attempt to replace with other brands. To order a new battery, call Verilux® customer service at 1-800-786-6850.



VHCP02_MAN_Rev18.indd 10 11/13/09 2:52 PM

Sanitizing Wand Initial Set-up cont.

Charging the Wand

It takes approximately 14 hours to fully charge the battery for the first time.



- Connect the power adapter to the Wand.
- Plug the power adapter into a 110V grounded electrical outlet.
- The status LED light is RED when the Wand is charging.
- The status LED light is GREEN when the Wand is fully charged or in use.
- After the first full charge, typical charging time is 8 hours under normal use. The Wand can be used for 1 1/2 hours when fully charged. You will not over-charge the battery or otherwise harm the device by keeping it connected to the charger between uses.

Low Battery Indication

When the battery is low and requires charging, the Wand will beep 10 times and the red LED will flash 10 times.

LED Indicator Status:

- **Flashing Red** – the Wand needs to be recharged.
- **Red** – the Wand is charging.
- **Green** – the Wand is fully charged or the Wand is on.

Sanitizing Wand Operation

Timer

During operation, a count-up timer shows total sanitizing time. The display increments each second to 59, then briefly displays the minutes elapsed before starting another 59-second count-up. The “next” minute reached is then shown briefly and the count-up begins again.

This cycle repeats for 99 minutes or until the Wand requires charging.

To see the current minute of sanitizing time, quickly press and release the blue button.



VHCP02_MAN_Rev18.indd 11 11/13/09 2:52 PM

JOB#: 0.0005	Title: VHCP02 Manual
Date: 11/13/09	Version: VHCP02-MAN-Rev18

Sanitizing Wand Operation continued

For example, if you've been using the Wand for 3 minutes and 20 seconds, the Wand will show "20." Press the button and the display will briefly show "03" before continuing the by-the-second count-up to minute "04."

Step by step:

1. To turn the Wand on, press the blue button until the Wand beeps – about two seconds.

2. Lift your finger off the button. The Wand will turn on. The fluorescent bulb may take another second or two to light.

3. The display window will show the count-up timer.

4. Begin sanitizing by holding the Wand as close as possible and no more than one-half inch above the surface and moving Wand slowly side to side in a 12" (1 foot) area. The energy required to kill microorganisms is a product of the light's intensity and exposure time. The closer the Wand is to an object, the more intense the energy. See Guidelines for Use (page 14) for more specific information.

5. Move the Wand to next 12" (1 foot) area and continue sanitizing.

6. Repeat until you have completely sanitized your desired surface area.

7. When you have finished, press the blue button for three seconds. The Wand will turn off.

NOTE: Be sure the Wand is facing downward, directly over your desired sanitizing area. A safety switch will automatically turn off the UV-C light if the Wand is tilted upward from the horizontal position. (The counter will not stop during this temporary bulb safety shut-off.)

When the battery charge is low, the Wand will begin to beep and the red indicator light will flash, indicating that the battery needs to be charged.

Using the Wand in Charging Mode

The Wand can be used in charging mode simply by connecting the power adapter to the Wand and following the Operation instructions shown above.

VHCP02_MAN_Rev18.indd 12 11/13/09 2:52 PM

Travel Wand Initial Set-up

1. Open battery compartment located on the underside of the handle area.

2. Insert four AA alkaline batteries as indicated in battery cavity. (Batteries are not included.)

3. Carefully replace cover making sure to slide it completely closed.



Travel Wand Operation

1. While holding Wand with bulb facing down and away from skin or eyes, press the blue button for 2 seconds to activate the UV-C (green light will glow).

2. Hold the Wand over the area to be sanitized as close as possible and no more than 1/2-inch above the surface. Slowly move the Wand over the entire area. Exposure times vary depending on surface being sanitized.

3. To turn the Wand off, press the blue button for two seconds until the green light goes out.

Note: A safety switch will automatically turn off the Wand if the light source is turned up (it will turn on again when the light source is once again turned to point down).

Low Battery Indication

When the battery is low and requires charging, the Wand will beep 10 times and the LED will flash 10 times.

VHCP02_MAN_Rev18.indd 13 11/13/09 2:52 PM

Job#: 0.0005	Title: VHCP02 Manual
Date: 11/13/09	Version: VHCP02-MAN-Rev18

Guidelines For Use

The UV-C Sanitizing Wand and Travel Wand are effective for eliminating up to 99.9% of viruses, bacteria, germs, mold, dust mite and flea eggs on surfaces such as:

Bedding/mattresses
Brushes
Earrings
Bathroom fixtures
Curtains
Chairs and sofa backs
Shoes
Computer keyboard and mouse
Baby changing stations
Children's toys
Stuffed animals
Pet areas
Pet bedding
Auto seats
Furniture
Throw rugs
Teakettle handles
Handrails
Faucets
Showers
Telephone handsets
Remote controls
Doorknobs
Light switches
Steering wheel
Shopping cart handles
Airplane seat headrest
Hotel bedding
Alarm clock
Wallets and purses
Cell phones
Music players

VHCP02_MAN_Rev18.indd 14 11/13/09 2:52 PM

Sanitizing Wand Bulb Replacement

Even with regular use, it is unlikely that you'll ever need to replace the long-life Verilux® bulb. If you do need to replace a bulb, use only Verilux bulbs. Use of a non-Verilux bulb can result in damage to the Wand or the bulb.

To order a replacement bulb, use the Component Re-order form included with this product. Or call Verilux Customer Service at 1-800-786-6850 or visit www.Verilux.com.

VHCP02_MAN_Rev18.indd 15 11/13/09 2:52 PM

Job#: 0.0005	Title: VHCP02 Manual
Date: 11/13/09	Version: VHCP02-MAN-Rev18

Sanitizing Wand Troubleshooting

The Wand will not turn on

1. Try turning on the Wand while it is connected to the AC adapter and plugged in. If it works, the battery may not be charged or connected properly.

2. Open battery compartment, disconnect battery clips for two seconds. Re-connect clips; re-insert battery and cover. Try again.

No blue light underneath

- Bulb may be loose from shipping.
- Bulb may be broken or otherwise need replacing.
- Be sure Wand is facing downward directly over the surface being sanitized. If the Wand is not operated in this manner, the internal safety switch will prevent the Wand from operating. This feature is to help prevent direct exposure to UV-C Light. Use caution when operating the Wand and do not attempt to override this product feature.

WARNING! These units should never be handled by children. Always direct the UV-C rays AWAY from the eyes and skin.

VHCP02_MAN_Rev18.indd 16 11/13/09 2:52 PM

Travel Wand Troubleshooting

The Wand will not turn on

- Be sure the Wand is horizontal, with the bulb facing downward.
- Be aware that the Travel Wand light is not as bright as the Sanitizing Wand.
- Open battery compartment and remove batteries. Wait at least two seconds. Replace batteries. Try again.

If you continue to have trouble, please call our Customer Service line at 1-800-786-6850.

WARNING! These units should never be handled by children. Always direct the UV-C rays AWAY from the eyes and skin.

VHCP02_MAN_Rev18.indd 17 11/13/09 2:52 PM

Job#: 0.0005	Title: VHCP02 Manual
Date: 11/13/09	Version: VHCP02-MAN-Rev18

Technical Specifications

SANITIZING WAND

Environment

Operating Temperature: 15°C to 35°C (59°F to 95°F)

Storage Temperature: 0°C to 40°C (32°F to 104°F)

Relative Humidity: 5% to 95% non-condensing

UV-C Bulb

Replacement bulb: 4 Watt UV-C bulb (replace with Verilux® brand only)

Battery

4.8V, 1500mAh NiMH battery pack

Power Supply

Input Power: AC 100-240V, 50/60Hz, 0.5A

Output Power: DC 6.5V 1.5A

Conforms to IEC Class II safety requirements and the CEC Class IV efficiency classification.

This Class II digital apparatus complies with Canadian ICES-003.

TRAVEL WAND

Environment

Operating Temperature: 15°C to 35°C (59°F to 95°F)

Storage Temperature: 0°C to 40°C (32°F to 104°F)

Relative Humidity: 5% to 95% non-condensing

UV-C Bulb

0.6 WATT UV-C bulb; non-replaceable

Battery

4 standard AA batteries

Warning: These products contain a chemical known to the state of California to cause birth defects or other reproductive harm.

This device complies with the appliance efficiency regulations laid down by the California Energy Commission.

VHCP02_MAN_Rev18.indd 18 11/13/09 2:52 PM

Warranty

One-Year Limited Warranty

ATTENTION! FOR REPAIR OR REPLACEMENT, ONCE OPENED, PLEASE ***DO NOT*** RETURN THIS PRODUCT TO THE STORE WHERE IT WAS PURCHASED.

Many questions may be answered by visiting www.Verilux.com, or you may call our customer service department at 1-800-786-6850.

This limited warranty is provided by:
Verilux, Inc., 340 Mad River Park, Waitsfield, VT 05673

Verilux® warrants this product to be free from defects in material and workmanship for a period of one year from the date of the original retail purchase. During the limited warranty period, Verilux, Inc. will, at its option, repair or replace defective parts of this product, at no charge to the customer, subject to the following limitations. This limited warranty does not include any postage, freight, insurance or delivery fees. This warranty does not cover damage, defect or failure caused by or resulting from accident, external destruction, alteration, modification, abuse, misuse or misapplication of this product.

If, during the first year of ownership, this product fails to operate properly, it should be returned as specified below:

Please pack the defective product in its original protective packing and box, with a copy of your name, address, telephone number and sales receipt, along with $9.95 (check or money order to cover shipping and handling), and send to:

For U.S. Postal Service Only:
Verilux Warranty
Service Center, c/o WTB
P.O. Box 119, West Redding, CT 06896

For Fed Ex & UPS Only:
Verilux Warranty
Service Center, c/o WTB
32 Henry Street, Bldg 17A, Bethel, CT 06801

Please allow 4-6 weeks before you receive the repaired or replaced product.

ATTENTION: When returning a product, be aware that damage during shipping is the responsibility of the purchaser and will void any warranty claim. We recommend that you insure the shipment by shipper when returning this product or any parts. Be sure to return product in original packaging.

Note: *Verilux recommends using a quality surge suppressor on all electronics equipment. Voltage variations and spikes can damage electronic components in any system. A quality suppressor can eliminate the vast majority of failures attributed to surges and may be purchased at electronics stores.*

Due to ongoing improvements, actual product may have slight variations from the product described in this manual.

VHCP02_MAN_Rev18.indd 19 11/13/09 2:52 PM

Job#: 0.0005	Title: VHCP02 Manual
Date: 11/13/09	Version: VHCP02-MAN-Rev18

Please visit our web site at: www.Verilux.com

verilux®

The Healthy Lighting Company™ Since 1956

340 Mad River Park, Waitsfield, VT 05673

VHCP02-MAN-Rev18

Made in China
Printed in China for Verilux, Inc.
© Copyright 2009 Verilux, Inc. All rights reserved.

All Panels of Packaging

560*127*190mm

Job#: 0.0	Title: VHCP02 UCB
Date: 11/12/09	Version: VHCP02-UCB-Rev18

ITM./ART. 432884 • VHCP02WW4

CleanWave®

Eco-friendly, Highly Effective, Chemical-Free Sanitizing

Shipping Information

ITM./ART. 432884 • VHCP02WW4

CleanWave® COMBO PAK

Eco-friendly, Highly Effective, Chemical-Free Sanitizing

Laboratory Proven Technology

ITM./ART. 432884 • VHCP02WW4

Safe and Powerful

UV-C Light Sanitizing System eliminates up to 99.9% of viruses, bacteria, germs, mold, dust mite and flea eggs, allergens*, and odors on surfaces at home and on the road.

UV-C Sanitizing Wand

Rechargeable — AC Adapter/Charger Included

UV-C Sanitizing Travel Wand

Requires 4-AA Batteries (not included)

Eliminates Up To 99.9% of H1N1 (Swine Flu) and MRSA on Surfaces

verilux®

The Healthy Lighting Company™ Since 1956

* Allergens due to mold and dust mites. Do Not Allow Ultraviolet Light to Shine Directly in Your Eyes or on Your Skin

Made in China • Fabriqué En Chine • Hecho en China

ITM./ART. 432884 • VHCP02WW4

CleanWave®

Used regularly, CleanWave eliminates up to 99.9% of viruses, bacteria, germs, mold, dust mite and flea eggs and allergens* on surfaces

Suggested Sanitizing Times**

Keyboards	Arm Chair	Standard Bed
8 Seconds	2 Minutes	6 Minutes

Use the CleanWave three times a week for the first two weeks and then incorporate into a regular sanitizing regimen. For individuals with acute allergies or excessively polluted environments, surfaces may require additional sanitizing applications to achieve desired results.

* Allergens due to mold and dust mites.

** Times are based on a 90% kill rate for influenza. Laboratory test reports are on file and available at www.Verilux.com.

ITM./ART. 432884 • VHCP02WW4

CleanWave® COMBO PAK

Eco-friendly, Highly Effective, Chemical-Free Sanitizing

Laboratory Proven Technology

Used regularly, CleanWave eliminates up to 99.9% of viruses, bacteria, dust mite and flea eggs and allergens on surfaces.*

Suggested Sanitizing Times**

UV-C Sanitizing Wand

Rechargeable — AC Adapter/Charger Included

UV-C Sanitizing Travel Wand

Requires 4-AA Batteries (not included)

Keyboards	Arm Chair	Standard Bed
8 Seconds	2 Minutes	6 Minutes

Eliminates Up To 99.9% of H1N1 (Swine Flu) and MRSA on Surfaces

verilux®

The Healthy Lighting Company™ Since 1956

* Allergens due to mold and dust mites. ** Recommended time for 90% kill rate for influenza.

Made in China • Fabriqué En Chine • Hecho en China

ITM./ART. 432884 • VHCP02WW4

CleanWave® COMBO PAK

Eco-friendly, Highly Effective, Chemical-Free Sanitizing

Laboratory Proven Technology

Used regularly, CleanWave eliminates up to 99.9% of viruses, bacteria, dust mite and flea eggs and allergens on surfaces.*

Suggested Sanitizing Times**

UV-C Sanitizing Wand

Rechargeable — AC Adapter/Charger Included

UV-C Sanitizing Travel Wand

Requires 4-AA Batteries (not included)

Keyboards	Arm Chair	Standard Bed
8 Seconds	2 Minutes	6 Minutes

Eliminates Up To 99.9% of H1N1 (Swine Flu) and MRSA on Surfaces

verilux®

The Healthy Lighting Company™ Since 1956

* Allergens due to mold and dust mites. ** Recommended time for 90% kill rate for influenza.

Made in China • Fabriqué En Chine • Hecho en China

ITM./ART. 432884 • VHCP02WW4

CleanWave® COMBO PAK

Eco-friendly, Highly Effective, Chemical-Free Sanitizing

Suggested Sanitizing Times**

Keyboards	Arm Chair	Standard Bed
8 Seconds	2 Minutes	6 Minutes

Eliminates Up To 99.9% of H1N1 (Swine Flu) and MRSA on Surfaces

UV-C Sanitizing Wand

Rechargeable — AC Adapter/Charger Included

UV-C Sanitizing Travel Wand

Requires 4-AA Batteries (not included)

verilux®

The Healthy Lighting Company™ Since 1956

Made in China • Fabriqué En Chine • Hecho en China

Laboratory Proven Technology

Suggested Sanitizing Times**

Keyboards	Arm Chair	Standard Bed
8 Seconds	2 Minutes	6 Minutes

Used regularly, CleanWave eliminates up to 99.9% of viruses, bacteria, dust mite and flea eggs and allergens* on surfaces. For best results, surfaces may require additional sanitizing applications.

Eliminates Up To 99.9% of H1N1 (Swine Flu) and MRSA on Surfaces

Use on horizontal surfaces only

verilux®

The Healthy Lighting Company™ Since 1956

Made in China • Fabriqué En Chine • Hecho en China

UV-C Sanitizing Wand

Rechargeable — AC Adapter/Charger Included



UV-C Sanitizing Travel Wand

Requires 4-AA Batteries (not included)

Laboratory Proven Technology

CleanWave® COMBO PAK

Eco-friendly, Highly Effective, Chemical-Free Sanitizing

Safe and Powerful

UV-C Light Sanitizing System eliminates up to 99.9% of viruses, bacteria, germs, mold, dust mite and flea eggs, allergens*, and odors on surfaces at home and on the road.

Dust Mite E. Coli Rotavirus Bacteria

Eliminates Up To 99.9% of H1N1 (Swine Flu) and MRSA on Surfaces

* Allergens due to mold and dust mites. Do Not Allow Ultraviolet Light to Shine Directly in Your Eyes or on Your Skin

Made in China • Fabriqué En Chine • Hecho en China

Suggested Sanitizing Times**

Keyboards	Arm Chair	Standard Bed
8 Seconds	2 Minutes	6 Minutes

Used regularly, CleanWave eliminates up to 99.9% of viruses, bacteria, germs, mold, dust mite and flea eggs and allergens* on surfaces

Use the CleanWave three times a week for the first two weeks and then incorporate into a regular sanitizing regimen. For individuals with acute allergies or excessively polluted environments, surfaces may require additional sanitizing applications to achieve desired results.

* Allergens due to mold and dust mites.

** Times are based on a 90% kill rate for influenza. Laboratory test reports are on file and available at www.Verilux.com.

verilux®

The Healthy Lighting Company™ Since 1956

Made in China • Fabriqué En Chine • Hecho en China

© 2009 Verilux, Inc., 340 Mad River Park, Waitsfield, VT 05673
www.Verilux.com
All trademarks mentioned herein are the property of their respective owners.
This product is covered by US Patent(s) and foreign equivalents. Other patent(s) pending.
Made in China.
1 YEAR LIMITED WARRANTY

LAMP CONTAINS MERCURY

Some components are recycling opportunities in many communities. Find recycling instructions for your area. www.epa.gov/epawaste/hazard/wastetypes/universal/lamps/fluor.htm or see www.lamprecycle.org or 1-800-258-5688

Do not throw in trash

Made in China

Fits Accessory Socket

Fits Automotive Socket (DC12V, 0.5A, 6W)

Rechargeable Battery: Ni-Cd, 3.6V, 500mAh, Charge Time: 8 hrs

Replacement Bulb: Ultraviolet Germicidal Lamp, 3.5W, Part No. GL-5

Produced for Verilux

Verilux, Inc. 340 Mad River Park Waitsfield, VT 05673 USA

560*127*190mm

Job#: 0.0	Title: VHCP02 UCB
Date: 11/12/09	Version: VHCP02-UCB-Rev18

Magnification of front and left panels

UV-C Sanitizing
Travel Wand

Clea
Eco-friendly, Hig

TM./ART. 432884 • VHCP02WW4

Adapter/Charger Included

Travel Wand
AA Batteries (not included)

ilux®
g Company™ Since 1956

é En Chine • Hecho en China

CleanWave®

Used regularly, CleanWave eliminates up to 99.9% of viruses, bacteria, germ, mold, dust mite and flea eggs and allergens* on surfaces

Suggested Sanitizing Times**

Keyboards	Arm Chair	Standard Bed
8 Seconds	2 Minutes	6 Minutes

Use the CleanWave three times a week for the first two weeks and then incorporate into a regular sanitizing regimen. For individuals with acute allergies or excessively polluted environments, surfaces may require additional sanitizing applications to achieve desired results.

* Allergens due to mold and dust mites

** Times are based on a 90% kill rate for influenza. Laboratory test reports are on file and available at www.Verilux.com.

CleanWave® COMBO PAK

Laboratory Proven Technology

Eco-friendly, Highly Effective, Chemical-Free Sanitizing

UV-C Sanitizing Wand

Rechargeable — AC Adapter/Charger Included

UV-C Sanitizing Travel Wand

Requires 4-AA Batteries (not included)

ITM./ART. 432884 • VHCP02WW4

Used regularly, CleanWave eliminates up to 99.9% of viruses, bacteria, dust mite and flea eggs and allergens on surfaces.*

Suggested Sanitizing Times**

Keyboards	Arm Chair	Standard Bed
8 Seconds	2 Minutes	6 Minutes

Eliminates Up To 99.9% of H1N1 (Swine Flu) and MRSA on Surfaces

verilux®
The Healthy Lighting Company™ Since 1956

Made in China • Fabriqué En Chine • Hecho en China

* Allergens due to mold and dust mites

** Recommended time for 90% kill rate for influenza

© 2009 Verilux, Inc., 340 Mad River Park, Waitsfield, VT 05673

www.Verilux.com

All trademarks mentioned herein are the property of their respective owners.

This product is covered by US Patent(s) and foreign equivalents. Other patent(s) pending.

Made in China.

1 YEAR LIMITED WARRANTY

Magnification of Top, Back and Right Panels

CleanWave® COMBO PAK

Eco-friendly, Highly Effective, Chemical-Free Sanitizing

UV-C Sanitizing Wand

Rechargeable — AC Adapter/Charger Included

UV-C Sanitizing Travel Wand

Requires 4-AA Batteries (not included)

Laboratory Proven Technology

Eliminates Up To 99.9% of H1N1 (Swine Flu) and MRSA on Surfaces

Suggested Sanitizing Times**

Keyboards	Arm Chair	Standard Bed
8 Seconds	2 Minutes	6 Minutes

Used regularly, CleanWave eliminates up to 99.9% of viruses, bacteria, germs, mold, dust mite and flea eggs and allergens* on surfaces

Use the CleanWave three times a week for the first two weeks and then incorporate into a regular sanitizing regimen. For individuals with acute allergies or excessively polluted environments, surfaces may require additional sanitizing applications to achieve desired results.

* Allergens due to mold and dust mites

** Times are based on a 90% kill rate for Influenza. Laboratory test reports are on file and available at www.Verilux.com.

verilux®

The Healthy Lighting Company™ Since 1956

Made in China • Fabriqué En Chine • Hecho en China

Use on horizontal surfaces only

ITM./ART. 432884 • VHCP02WW4

CleanWave®

Eco-friendly, Highly Effective, Chemical-Free Sanitizing

Shipping Information

CleanWave® COMBO PAK

Eco-friendly, Highly Effective, Chemical-Free Sanitizing

Laboratory Proven Technology

Safe and Powerful

UV-C Light Sanitizing System eliminates up to 99.9% of viruses, bacteria, germs, mold, dust mite and flea eggs, allergens*, and odors on surfaces at home and on the road.

* Allergens due to mold and dust mites

Eliminates Up To 99.9% of H1N1 (Swine Flu) and MRSA on Surfaces

ITM./ART. 432884 • VHCP02WW4

UV-C Sanitizing Wand

Rechargeable — AC Adapter/Charger Included

UV-C Sanitizing Travel Wand

Requires 4-AA Batteries (not included)

verilux®

The Healthy Lighting Company™ Since 1956

Made in China • Fabriqué En Chine • Hecho en China

Do Not Allow Ultraviolet Light to Shine Directly in Your Eyes or on Your Skin

Cle

Used regularly, Cle
germs, mold, d

Keyboard

8 Second

Use the CleanW
incorporate into a r
or excessively
sani

** Times are based on a 90

EPA Company Number: 86404
EPA Establishment Number: 086726-CHN-001
Registrant Name: Ping Xiang Industrial (Shenzen) Co. Ltd.
Registrant Address: A1-A2 Bldg Ping Xiang Industrial Center,
Xin Nan Village, Ping Hu Town, Shenzhen, China 518111
Authorized Agent Address: 387 Bridgeport Way South St. Paul, MN 55075
Produced for Verilux

7 68533 71409

VHCP02WW4-UCB-Rev18

LAMP CONTAINS MERCURY (Hg)

State requirements and recycling opportunities vary.
Find recycling information for your area.
www.epa.gov/epawaste/hazard/wastetypes/universal/lamps/live.htm
Or see: www.lamprecycle.org or 1-866-300-5606

Recycled Recyclable